

TABLE 39.—*Attack rates for malaria and fever of undetermined origin, among U.S. Army personnel, Africa-Middle East area,¹ 1942-45*

[Preliminary data from statistical health reports]

[Rate expressed as number of cases per annum per 1,000 average strength]

Month	Malaria				Fever of undetermined origin ²			
	1942	1943	1944	1945	1942	1943	1944	1945
January-----	(³)	85	61	11	(³)	15	16	12
February-----	(³)	52	62	9	(³)	13	9	24
March-----	(³)	37	58	10	(³)	11	9	31
April-----	(³)	77	63	11	(³)	13	21	33
May-----	(³)	105	64	9	(³)	21	24	35
June-----	0	164	84	14	0	25	21	29
July-----	529	156	121	14	16	44	66	50
August-----	295	139	71	13	43	44	52	59
September-----	113	301	51	12	50	16	34	49
October-----	176	60	40	11	29	20	30	27
November-----	59	205	23	8	39	11	27	25
December-----	118	82	15	8	11	8	21	14
Total-----	136	123	59	11	11	21	27	34

¹ Includes all of Africa and the Middle East except North African area of the Mediterranean theater, until March 1945 when this area was incorporated in the Africa-Middle East theater.

² The proportion of these figures which actually represents malaria cannot be determined.

³ Data are not available.